

# Chromatography



*Must - have for your lab*

**Promocija**



DASITGROUP

**CARLO ERBA**

REAGENTS

# LIQUID CHROMATOGRAPHY

**L**EADER in the market for solvents for chromatography and trace analysis, CARLO ERBA Reagents extended its range of solvents for HPLC in order to satisfy the ever increasing requirements in terms of equipment and detection methods. A particular emphasis was placed on impurities which, by interaction, can affect the result's reliability.

Our solvents for HPLC meet the requirements for this analytical technique by guaranteeing the optimal specifications on the following elements :

- Purity
- Non volatile residue content
- UV Transmission

CARLO ERBA Reagents GRADES

## ANALYSIS METHOD

	HPLC Preparative	HPLC Isocratic mode	HPLC Gradient mode	LC-MS	UHPLC	UHPLC-MS
RS HPLC Preparative						
RS HPLC Isocratic						
RS HPLC PLUS Gradient						
RS HPLC GOLD Ultra Gradient						
RS HPLC-MS						
RS UHPLC-MS						

**I**N this easy-to-consult document, we offer you a choice of products specifically adapted for the preparation and analysis of your HPLC samples :

- Solvents for UHPLC-MS
- Solvents, additives and blends for LC-MS
- Solvents for HPLC gradient
- Solvents for HPLC isocratic
- Solvents for HPLC preparative
- Mobile phases
- Silica gel and filter aids

# SOLVENTS, ADDITIVES AND BLENDS FOR LC-MS

FOR your LC-MS routine analysis, CARLO ERBA Reagents offers a complete range of products with the most common solvents, additives and solutions ready-to-use among the most used mobile phases that bring you :

- Time saving
- Precise composition
- The assurance of an LC-MS quality
- Traceability
- Repeatability

Produced from LC-MS quality solvents and specifically tested for LC-MS coupling, these solutions guarantee :

- Test in gradient mode
- High UV transmission
- Solvent purity > 99.95 %
- Precise additive content
- Low content in inorganic and metallic ions
- Packaged in 1.1-difluoroethane treated amber glass to reduce significantly the potential formation of metals adducts



	Product	Quality	Pkg	Code
Solvents	Acetonitrile	LC/MS	1 L	412341
			2,5 L	412342
	Ethyl acetate	LC/MS	1 L	448383
			2,5 L	448384
	Methanol	LC/MS	1 L	414831
			2,5 L	414832
	Propanol-2	LC/MS	1 L	415183
Additives			2,5 L	415184
	Water	LC/MS	1 L	412111
			2,5 L	412112
	Acetic acid	LC/MS	10 x 1 ml	401411
			10 x 2,5 ml	401412
			50 ml	401413
			1 L	401414
	Ammonium acetate	LC/MS	50 g	418781
	Ammonium formate	LC/MS	50 g	419741
	Formic acid	LC/MS	10 x 1 ml	405821
Blends			10 x 2,5 ml	405822
			50 ml	405823
	Trifluoroacetic acid	LC/MS	10 x 1 ml	411541
			10 x 2,5 ml	411542
			50 ml	411543
	Acetonitrile + 0.1% v/v formic acid	LC/MS	1 L	412331
			2,5 L	412332
	Acetonitrile + 0.1% v/v trifluoroacetic acid	LC/MS	1 L	412321
			2,5 L	412322
	Methanol + 0.1% v/v formic acid	LC/MS	1 L	414861
			2,5 L	414862
	Methanol + 0.1% v/v trifluoroacetic acid	LC/MS	1 L	414871
			2,5 L	414872
	Water + 0.1% v/v formic acid	LC/MS	1 L	412121
			2,5 L	412122



# SOLVENTS FOR HPLC GRADIENT

CARLO ERBA Reagents proposes 2 ranges : HPLC GOLD Ultragradient and HPLC PLUS Gradient for your analysis in Gradient mode.

The gradient control of elution and drift at critical wavelengths of our HPLC solvents Gold and Plus guarantee a peak free baseline. Their optimal sensitivity allows you to evaluate in the best possible way the impurities of your samples.

To make sure that no particle in the mobile phase will hinder your analyses, we carry out a microfiltration of our GOLD solvents at 0.1 µm and for HPLC Gradient Plus at 0.2 µm.

Product	Quality	Pkg	Code
Acetonitrile	HPLC Gold Ultragradient	1 L	412371000
		2,5 L	412372000
		4 L	412374
		5 L	412375
	HPLC Plus Gradient	1 L	412391000
	ACS-Reag.Ph.Eur.-Reag.USP	1 L*	412393
		2,5 L	412392000
Ethanol	HPLC Plus Gradient	1 L	4127012
		1 L*	4127032
		2,5 L	4127022
	47,00 KM		
Methanol	HPLC - Gold Ultragradient	1 L	412721
		2,5 L	412722
		4 L	412724
		5 L	412725
	HPLC Plus Gradient	1 L	412381
			2,5 L
Propanol-2	HPLC Plus Gradient	1 L	412711000
		2,5 L	412712000
Water	HPLC Plus Gradient	1 L	412141
		22,00 KM	2,5 L

\* Glass bottle PVC coated

Standard Analysis Certificate		
PRODUCT	ACETONITRILE RS GOLD For HPLC- Ultragradient	
CODE	:412378600	
METHOD	:10742	
TEST	U.M.	SPECIFICATION
Description	-	Clear liquid
Colour (APHA)	-	≤ 10
Identification	-	Positive
Mixture with Acetone	-	Complete
Water insolubility	-	Complete
Miscibility in water	-	Complete
Miscibility in methanol	-	Complete
Density at 20°C	-	0.781 ± 0.005
Refractive index at 20°C	-	1.362 ± 0.004
Distillation range	°C	BC 5 - 83.3
Water (H <sub>2</sub> O)	ppm	≤ 100
Residue on evaporation	ppm	≤ 2
Acidity	meq/g	≤ 0.0001
Alkalinity	meq/g	≤ 0.0002
Stability (A.U.)	%	≤ 0.1
Fluorescence	-	-
At 204 nm	ppb	≤ 1
At 205 nm	ppb	≤ 0.5
At 410 nm	ppb	≤ 0.5
At 204 nm	A.U.	≤ 0.6
At 205 nm	A.U.	≤ 0.05
At 410 nm	A.U.	≤ 0.007
At 204 nm	A.U.	≤ 0.005
Transmittance	-	-
At 190 nm	%	≤ 85
At 200 nm	%	≤ 85
At 210 nm	%	≤ 85
From 200 to 400 nm	%	≤ 88
Functionality for HPLC	-	-
At 210 nm	mAU	≤ 1
At 204 nm	mAU	≤ 0.2
At 210 nm	mAU	≤ 12
HPLC Gradient	-	Passed test
UV cut off	nm	≤ 190



# SILICA GEL AND FILTER AIDS

BESIDES the widely used silica gel, other products with particular characteristics are also available and offer a series of valid alternatives for resolving numerous separation problems. CARLO ERBA Reagents proposes a wide range of silica gel among the general used types.



Product	Pkg	Code
Aluminum oxide (acid)	250 g	417185
	1 kg	417182
Aluminum oxide (basic)	100 g	417214
	1 kg	417217
Aluminum oxide (neutral)	250 g	417245
	1 kg	417241
	2.5 kg	417248
Aluminum oxide activated	1 kg	312261
Calcium carbonate	250 g	433245
Cellulose, powder	250 g	436061
Charcoal activated	250 g	434455
	1 kg	434454
Dicalite 4158	500 g	P8880014
	1 kg	P8880017
	5 kg	P8880027
Florisil 100-200 mesh	100 g	452351
	500 g	452353
Florisil 60-100 mesh for chromatography	100 g	452331
	500 g	452333
	1 kg	452332
Florisil 60-100 mesh for pesticides analysis	100 g	452271
	500 g	452273
Kieselguhr composed	250 g	449895
	250 g	449897
Magnesium oxide	1 kg	459617
Sand purified	1 kg	477153

Product	Pkg	Code
Silica gel 60A 6 - 35μ	1 kg	P2010017
	5 kg	P2010027
	25 kg	P2010044
Silica gel 60A 20 - 45μ	1 kg	P2200017
	5 kg	P2200027
Silica gel 60A 35 - 70μ	1 kg	P2000017
	2 kg	P2000026
	5 kg	P2000027
	25 kg	P2000044
Silica gel 60A 40 - 63μ	1 kg	P2050017
	5 kg	P2050027
	25 kg	P2050044
Silica gel 60A 70 - 200μ	1 kg	P2100017
	2 kg	P2100026
	5 kg	P2100027
	25 kg	P2100044
Silica gel 60A 0,06+0,20 mm	500 g	453336
	1 kg	453337
	5 kg	453332
	20 kg	453331

**112,00 KM**

# MOBILE PHASES

If you regularly use an eluent phase, we can prepare it for you according to your specifications.

Your mobile phase is prepared from HPLC quality solvents according to procedures (respect of the GMPs) and with validated equipment in compliance with the pharmacopeia.

The ready-to-use eluent phase provides you with :

- Important time saving for preparation
- Reduction of risks linked to the handling of toxic or hazardous products
- Guaranteed pH
- Possibility of large sized homogeneous batches
- Labelling conforming to legislation and to BPLs

It is supplied with :

- Certificate of analysis of the batch
- Safety data sheet

## Examples

Acetonitrile + methanol + buffered pH 5

Acetonitrile + water

Ethyl acetate + toluene

Water + TFA

Water + THF

Batch number  
Expiry date

Composition

Specifications defined  
by customer

Date

DASITGROUP		CARLO ERBA	
<b>CERTIFICATE OF ANALYSIS</b>			
Product	: PHASE MOBILE RS Ammonium Acetate 0.1m/V 23.8%, Methanol 76.2%		
C.E.R. code	: 525853		
Batch number	: V9M796169M		
Expiry date	: 11/2010		
<b>COMPOSITION :</b>			
Solution of ammonium acetate 0.1% m/V	: 23.8% (V/V)		
Methanol	: 76.2% (V/V)		
<b>TEST</b>	<b>M.U.</b>	<b>SPECIFICS Min. Max.</b>	<b>Result</b>
Appearance	-	Clear colourless liquid	Conform
Density at 20°C	-	0.860 0.870	0.867
<b>G.V. Spectrophotometry</b>			
at 210 nm		40	50
at 220 nm		70	76
at 230 nm		85	90
at 240 nm		94	96
at 260 nm		98	99
Date: 12/31/2010		Quality control	

# GAS CHROMATOGRAPHY

**B**ROAD spectrum chemical analysis of trace level components is a continuing challenge for any analytical chemist. This challenge is further confounded when chemical impurities may be present in common organic solvents or when chemical artifacts may be formed, produced and introduced during an analytical procedure. Minimizing and understanding these chemical artifacts is critical for trace level detection and is crucial for accurate analytical conclusions.

CARLO ERBA Reagents GC Solvents are the right choice for your complex mixture challenges.



CARLO ERBA Reagents GRADES

	ANALYSIS METHOD				
	GC-FID For analysis of organic substances and trace of hydrocarbons	GC-ECD For analysis of pesticides and chlorinated substances	GC-NPD For analysis of pesticides, nitrogenous and phosphorus substances	GC-Headspace For residual solvents analysis in pharmaceutical industry	GC-MS For high sensitivity analysis
RS - ATRASOL®					
RS - PESTIPUR®					
RS - HEADSPACE					
RS - GC-MS					

In this brochure, we offer you a choice of products specifically adapted for the preparation and analysis of your samples by GC :

- Solvents for HEADSPACE
- ATRASOL® Solvents for the detection of traces in organic compounds and hydrocarbons
- ATRASOL® Solvents for Hydrocarbon index determination according to EN ISO 9377-2
- Solvents for GC-MS
- PESTIPUR® Solvents for pesticides residue analysis
- Organic standards



High purity, guaranteed absence of extraneous peaks in gas chromatographic determinations and guarantee of reproducibility and repeatability of the results are the main feature of this product line. For the entire **ATRASOL®** line, the absence of critical impurities is ensured by means of precise functionality tests in **GC-ECD** and **GC-FID**.

Product	Pkg	Code
Acetone	1 L	P0053216
	2,5 L	P0053221
	4 L	P0053282
Chloroform stabilized with ethanol	1 L	P02432E16
	2,5 L	P02432E21
Dichloromethane stabilized with amylene	1 L	P02932A16
	2,5L	P02932A21
	4 L	P02932A82
Dichloromethane stabilized with ethanol	1 L	P02932E16
	2,5 L	P02932E21
n,n-Dimethylformamide	1 L	P0343216
	2,5 L	P0343221
Dimethylsulphoxide	1 L	P0353216
	2,5 L	P0353221
Ethyl acetate	1 L	P0023216
	2,5 L	P0023221
n-Hexane 99%	1 L	P052323016
	2,5 L	P052323021
Methanol	1 L	P0933216
	2,5 L	P0933221
n-Pentane 99%	1 L	P064323016
	2,5 L	P064323021
Toluene	1 L	P0713216
	2,5 L	P0713221
	4 L	P0713282



# **ATRASOL® SOLVENTS FOR HYDROCARBON INDEX DETERMINATION ACCORDING TO EN ISO 9377-2**

**T**HE EUROPEAN regulation **EN ISO 9377-2** "Determination of hydrocarbon oil index - Method using solvent extraction and gas chromatography", established the criteria for the evaluation of the hydrocarbon index in water using gas chromatography. This procedure is suitable for surface water, wastewater and water from sewage treatment plants.

**Isohexane, hexane and petroleum ether ATRASOL®, with their boiling range between 36 and 69 ° C, are ideal for this application.** Each batch is specifically analyzed so that the hydrocarbon index is less than or equal to 0.1 mg/l, in the retention time window between n-decane and n-tetracontane.

Product	Pkg	Code
n-Hexane	1 L	P0523216
	2,5 L	P0523221
Isohexane	1 L	P6263216
	2,5 L	P6263221
n-Pentane	1 L	P0643216
	2,5 L	P0643221
<b>79,00 KM</b>		
Petroleum ether 35 - 60°C	1 L	P0883216
	2,5 L	P0883221

Certificate of Analysis			
PRODUCT CODE	(n-HEXANE: ATRASOL, for traces analysis, Suitable for hydrocarbon index determination) (P0523221)		
LOT N°	P0523221	1	
EXPIRATION DATE	08/2025	ADDITION	4
TEST	S.M.	SPECIFICATION	RESULT
Appearance	-	Clear colorless liquid	Clear colorless liquid
Density (20°C)	-	0.657 - 0.671	0.655
Boiling point (°C)	-	68.8 - 69.0	68.8
Water content (K.F.)	mg/kg	≤ 10	4.1
Non-volatile residue	mg/kg	≤ 2	1.0
Color	°	≤ 5	0
Acidity (0.2%)	%	≤ 0.05	0.04
ISO 178 Hydrocarbon oil index	mg/l	≤ 0.05	0.03
Reference limit in hexane - n-tetracontane	mg/l	≤ 3	0.3
ISO 178 Hydrocarbon oil index	mg/l	≤ 0.05	0.03
Reference limit in hexane - n-tetracontane	mg/l	≤ 3	0.3
Reference limit in hexane - n-tetracontane	mg/l	≤ 3	0.3
Suitable for hydrocarbon index determination according to NF EN ISO 9377-2			
Approval Date	05/08/2018	Not signed electronically issued document QUALITY CONTROL RESPONSIBLE P. GUERARD (PEYTON)	

## **REFERENCE STANDARDS**

**F**OR the determination of mineral oils, the regulation prescribes specific mixtures of standard solutions. CARLO ERBA Reagents has a complete range of standard mixtures, each with a certificate of analysis with complete information on the composition and gravimetric validation carried out in reference to NIST standards.



Product	Pkg	Code
Standard quality control of 2 mineral oils in acetone 0.5mg/ml each	1 mL	506002
Mixture of 2 mineral oils without additive 5 mg / ml each in hexane	1 mL	506010
	5 mL	506012
	10 mL	506013
Mixture of 2 mineral oil without additive 1 mg/ml each in hexane	10 mL	506011
Standard mixture of n-alkanes (C10 to C40 in pairs) of 50 µg/ml each in hexane	1 mL	506020
	10 mL	506021
Mother solution of extraction solvent: N-tetracontane mixture (20 mg/l) and n-decane (20 µg/l) in hexane	5 mL	506040
Test solution stearyl stearate 2 g / l in hexane	10 mL	506030

## GC-MS SOLVENTS

**T**HE birth of the gas chromatogram coupled to a mass spectrometer in the early 1950's allowed the utilization of 2 technologies for the fast qualitative and quantitative determination of samples. Gas chromatography allows the separation of components in a mixture and mass spectroscopy the characterization of the identified components. Over the years, several type of mass spectrometers were coupled to a GC such as quadrupoles, ion traps and time of flight allowing for more accurate results depending on the type of samples analyzed. The evolution of the technology by the different manufacturers over the years resulted in lower detection and quantitative limits. More recently, an increase of the use and applications of 2D GC-MS has been witnessed. This technology dating back from the early 1990's gives an increase peak capacity of the GC allowing for the analysis of more complex mixtures.

Furthermore, the complexity of the samples commonly encountered for the analysis of volatile substances, and the achievement of the increasingly restrictive analytical sensitivities required by international regulations, make the interpretation of the data critical for the reliability of the final result.


The recent technological advances of GC-MS, GC-MS/MS and 2D GC-MS have opened new analytical horizons, in terms of selectivity of the result, and allowed a reduction of detection limits, reducing the need for cleaning the sample and the introduction of faster methods for sample preparation.

Product	Pkg	Code
Acetone	1 L	400952
Chloroform stabilized with ethanol	1 L	438732
Dichloromethane stabilized with amylene	1 L	463342
Dichlorométhane stabilized with ethanol	1 L	463332
Ethyl acetate	1 L	448342
n-Hexane 99 %	1 L	447212
Methanol	1 L	414952
n-Pentane 99%	1 L	468172
n-Pentane	1 L	468182

**T**HE role and the choice of the quality of the solvent is consequently crucial for the production of a precise and accurate analytical data. That is why we are introducing a new product range dedicated to the most demanding need for GC-MS. These products were specifically tested for GC/MS test for individual signals, with a retention range of  $C_{11}$  to  $C_{40}$  with a scanning area of 30-600 amu with a guarantee of less than 2µg/L of impurities.

The CARLO ERBA Reagents GC-MS solvents guarantee excellent performance, even for the analysis of the most complex mixtures. They are characterized by :

- Very high purity
- Extremely low non volatile residue content
- Functionality tested in GC-MS





# PESTIPUR® SOLVENTS FOR PESTICIDES RESIDUE ANALYSIS

**T**HE CONTROL of pesticide residues in the food and environmental sectors is remarkably important today, as these substances represent a potential public health hazard. The purity of the solvent is a determinant factor in obtaining reliable results. Thus it is essential to have products available with suitable parameters for this type of application.

To meet these needs, CARLO ERBA Reagents offers its **PESTIPUR®** line of solvents, specific for the extraction of pesticides and the analysis of chlorinated and nitrogenous residues, even at trace levels. Our products are prepared according to the most advanced distillation techniques and strictly controlled in order to guarantee the highest level of quality.

Various functionality tests ensure a stable base line in gas chromatography. For the entire **PESTIPUR®** line, the absence of critical impurities is ensured by means of precise functionality tests in GC-ECD and GC-NPD.

Product	Pkg	Code
Acetone	1 L	400991
	2,5 L	400992000
Acetonitrile	1 L	401241
	2,5 L	401242
tert-Butylmethylether	1 L	432061
	2,5 L	432062
Chloroform stabilized with amylene	1 L	438681
	2,5 L	438682
Chloroform stabilized with ethanol	1 L	438651
	2,5 L	438652
Cyclohexane	1 L	436931
	2,5 L	436932
Dichloromethane stabilized with amylene	1 L	442291
	2,5 L	442292000
	4 L	442294
Dichloromethane stabilized with ethanol	1 L	442261
	2,5 L	442262
Diethyl ether not stabilized	1 L	447651
	2,5 L	447652
Dimethylformamide	1 L	444941
Ethyl acetate	1 L	448351
	2,5 L	448352000

**54,00 KM**

Product	Pkg	Code
n-Heptane 99%	1 L	446951
	2,5 L	446952
Heptane mixture of isomers	1 L	446841
	2,5 L	446842
n-Hexane 99 %	1 L	447111
	2,5 L	447112000
n-Hexane	1 L	447011
	2,5 L	447012
	4 L	447013
Hexane Mixture of isomers	1 L	447181
	2,5 L	447182
Isohexane	1 L	447131
	2,5 L	447132
Isooctane	1 L	456791
	2,5 L	456792
Methanol	1 L	414930
	2,5 L	414932
n-Pentane	1 L	468161
	2,5 L	468162
Petroleum ether 40 - 65°C	1 L	447851
	2,5 L	447852
Petroleum ether 35 - 60°C	1 L	447862
	2,5 L	447861
Propan-2-ol	1 L	415281
Toluene	1 L	488591
	2,5 L	488592
	4 L	488594

ISO 17993:2002 specifies a method using high performance liquid chromatography (HPLC) with fluorescence detection for the determination of 15 selected PAHs in drinking and ground water in mass concentrations greater than 0,005 µg/l (for each single compound) and surface waters in mass concentrations above 0,01 µg/l.

To avoid additional internal validation, CARLO ERBA Reagents tests the PAH content of Dichloromethane quality **PESTIPUR®** according to NF EN ISO 17993: 2002 and guarantees the minimum possible interference to use.



## ORGANIC STANDARDS FOR RESIDUE ANALYSIS AND ENVIRONMENTAL ANALYSIS

**C**ARLO ERBA Reagents offers the possibility to realize tailored formulations of organic substances (pesticides, IPA, PCB, nitrogenous substances, chlorinated, etc ...) produced according to an ISO 17025 accredited Quality Management System and ISO Guide 34. Organic standard solutions are prepared according to your analytical needs for HPLC, GC and GC-MS. These solutions are custom-made standards which bring you lots of advantages :

- Time saving for preparing and controlling standard solutions
- Traceability to NIST
- Specific for instrument calibration
- No risk of precipitation mixing incompatible solutions : the best solution ( two or more mixes or another solvent) is proposed if there's a problem of compatibility.
- Exact quantity needed (from 0.5 ml in ampules or CERTAN bottles to 500 ml)

Each of our products are delivered with a certificate of analysis including:

- Batch number
- Expiry date
- Storage information
- CAS number, formula, purity of each starting material
- Gravimetric data

[illegible]

1. The first step in the process is to identify the problem. This involves gathering information about the problem, its causes, and its effects. This information is then used to develop a plan of action.

2. The second step is to implement the plan. This involves putting the plan into action and monitoring the results. If the results are not as expected, the plan may need to be revised.

3. The third step is to evaluate the results. This involves comparing the results of the plan to the original goals. If the goals have been achieved, the plan is successful. If not, the plan may need to be revised.

4. The fourth step is to communicate the results. This involves sharing the results of the plan with others who may be affected by it. This can help to build support for the plan and ensure that it is implemented successfully.

5. The fifth step is to review the process. This involves reflecting on the entire process and identifying areas for improvement. This can help to ensure that the process is efficient and effective in the future.

項目	金額	項目	金額
1. 現金	100,000	11. 繰上償還金	10,000
2. 有価証券	50,000	12. 繰上償還金	10,000
3. 貸倒損失	10,000	13. 繰上償還金	10,000
4. 貸倒損失	10,000	14. 繰上償還金	10,000
5. 貸倒損失	10,000	15. 繰上償還金	10,000
6. 貸倒損失	10,000	16. 繰上償還金	10,000
7. 貸倒損失	10,000	17. 繰上償還金	10,000
8. 貸倒損失	10,000	18. 繰上償還金	10,000
9. 貸倒損失	10,000	19. 繰上償還金	10,000
10. 貸倒損失	10,000	20. 繰上償還金	10,000

[illegible]

Send us :

- CAS number
- Concentration
- Solvent
- Volume
- Packaging

to receive our best and most suitable offer according to your needs!

# ION PAIR CHROMATOGRAPHY

**I**ON PAIR CHROMATOGRAPHY has been developed to allow the separation of complex mixtures of polar and ionic molecules, which often are not well separated by ion exchange chromatography. The selectivity is determined by the mobile phase: the organic eluent is supplemented with a specific ion-pairing reagent. The IPC reagents are large ionic molecules having a charge opposite to the targeted analyte, as well as an hydrophobic region to interact with the stationary phase. The counter-ions combine with the ions of the eluent, becoming ion pairs in the stationary phase. Ion pairs are then separated on Reverse-phase HPLC columns.

The purity of the mobile phase and therefore the accuracy of the results depends on the quality of the additive. The specifications of our ion pair reagents are in line with the requirements of Reverse-phase HPLC:

- High purity  $\geq 99\%$
- Minimum UV absorption in the far UV
- Controlled pH
- Loss on drying


CARLO ERBA Reagents selected the most commonly used ion pair reagents (straight-chain alkyl sulfonic acids) for your basic samples:

Product	CAS number	Pkg	Code
1-Butanesulfonic acid sodium salt	2386-54-1	25 g 100 g	405631 405632
1-Decanesulfonic acid sodium salt	13419-61-9 <b>128,00 KM</b>	25 g 100 g	405871 405872
1-Dodecanesulfonic acid sodium salt	2386-53-0	25 g 100 g	405881 405882
Dodecyltrimethylammonium bromide	1119-94-4	25 g 100 g	405941 405942
1-Heptanesulfonic acid sodium salt	22767-50-6	25 g 100 g	405851 405852
1-Hexanesulfonic acid sodium salt	2832-45-3 <b>104,00 KM</b>	25 g 100 g	405621 405622
1-Hexanesulfonic acid sodium salt monohydrate	207300-91-2	25 g 100 g	405921 405922
1-Octanesulfonic acid sodium salt	5324-84-5	25 g 100 g 1 kg	405861 405862 405863
1-Octanesulfonic acid sodium salt monohydrate	207596-29-0	25 g 100 g	405931 405932
1-Pentanesulfonic acid sodium salt	22767-49-3	25 g 100 g	405841 405842
1-Pentanesulfonic acid sodium salt monohydrate	207605-40-1	25 g 100 g	405891 405892
1-Propanesulfonic acid sodium salt	14533-63-2	25 g 100 g	405901 405902
Tetrabutylammonium bisulfate	32503-27-8	25 g 100 g	405971 405972



# ION CHROMATOGRAPHY

**I**ON CHROMATOGRAPHY is a widely used technique that separates ions and polar molecules based on their affinity to the ion exchanger. It is often used in protein purification and water analysis. It works on almost any kind of charged molecule - including large proteins, small nucleotides, and amino acids.



## CONCENTRATED MOBILE PHASES

**T**HE following eluents are filtered at 0.2μm and prepared from ultra-pure salts and 18-megaohm deionized water. These are concentrated solutions that should be diluted by a factor of 100.

They are characterized by :

- Guaranteed titer with its uncertainty
- Raw materials selected and verified against N.I.S.T. Standard Reference Materials
- Available in HDPE bottles
- Certificate of analysis with references on the analytical method, the N.I.S.T. Standard Reference Materials and the confidence interval
- Shelf life, for the unopened product package, of 2 years.

Product		Pkg	Code
Eluent sodium bicarbonate	0.17 M Sodium bicarbonate	100 mL	504534
Eluent sodium bicarbonate	0.5 M Sodium bicarbonate	1 L	507578
Eluent sodium carbonate	0.1 M Sodium carbonate	1 L	507695
Eluent sodium carbonate	0.5 M Sodium carbonate	100 mL	504533
		1 L	507577
Eluent sodium carbonate/sodium bicarbonate	0.18 M Sodium carbonate / 0.17 M Sodium bicarbonate	100 mL	504530
Eluent sodium carbonate/sodium bicarbonate	0.22 M Sodium carbonate / 0.28 M Sodium bicarbonate	100 mL	504531
Eluent sodium carbonate/sodium bicarbonate	0.35 M Sodium carbonate / 0.1 M Sodium bicarbonate	100 mL	504532




# STANDARD SOLUTIONS

Our standard solutions for ion chromatography are obtained by dissolution of a high-purity salt (+99.9%) in water.

They are characterized by :

- Concentrations equal to 1000 ppm
- Guaranteed titer with its uncertainty
- Raw materials selected and verified against N.I.S.T. Standard Reference Materials
- Available in HDPE bottles
- Certificate of analysis with references on the analytical method, the N.I.S.T. Standard Reference Materials and the confidence interval
- Shelf life, for the unopened product package, of 2 years.



Product	Pkg	Code
Ammonium standard solution	100 mL	503311
conc. 1.000 ppm Matrix: Water	500 mL	503313
Bromate standard solution	100 mL	503171
conc. 1.000 ppm Matrix: Water	500 mL	503173
Bromide standard solution	100 mL	503211
conc. 1.000 ppm Matrix: Water	500 mL	503213
Calcium standard solution	100 mL	503221
conc. 1.000 ppm Matrix: Water and nitric acid	500 mL	503223
Chlorate standard solution	100 mL	503181
conc. 1.000 ppm Matrix: Water	500 mL	503183
Chloride standard solution	100 mL	503231
conc. 1.000 ppm Matrix: Water	500 mL	503233
Chlorite standard solution	100 mL	503191
conc. 1.000 ppm Matrix: Water	500 mL	503193
Chromate standard solution	100 mL	503241
conc. 1.000 ppm Matrix: Water	500 mL	503243
Cyanide standard solution	100 mL	503358
conc. 1.000 ppm Matrix: Water and nitric acid		
Fluoride standard solution	100 mL	503251
conc. 1.000 ppm Matrix: Water	500 mL	503253
Iodide standard solution	100 mL	503261
conc. 1.000 ppm Matrix: Water	500 mL	503263
Lithium standard solution	100 mL	503281
conc. 1.000 ppm Matrix: Water	500 mL	503283
Magnesium standard solution	100 mL	503291
conc. 1.000 ppm Matrix: Water and nitric acid	500 mL	503293
Nitrate standard solution	100 mL	503331
conc. 1.000 ppm Matrix: Water	500 mL	503333
Nitrite standard solution	100 mL	503321
conc. 1.000 ppm Matrix: Water	500 mL	503323
Phosphate standard solution	100 mL	503271
conc. 1.000 ppm Matrix: Water	500 mL	503273
Potassium standard solution	100 mL	503221
conc. 1.000 ppm Matrix: Water	500 mL	503223
Sodium standard solution	100 mL	503301
conc. 1.000 ppm Matrix: Water	500 mL	503303
Strontium standard solution	100 mL	503361
conc. 1.000 ppm Matrix: Water		
Sulfate standard solution	100 mL	503351
conc. 1.000 ppm Matrix: Water	500 mL	503353